| Ref<br># | Hits  | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|-------|---|---|---------------------|---------|------------------|
| S1       | 2     | (("6282556") or ("6036350")).PN.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR                  | OFF     | 2005/02/07 07:50 |
| S2       | 241   | (712/222).CCLS.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR                  | OFF     | 2005/02/03 15:54 |
| S3       | 6     | (media adj1 processor) near4<br>(float\$3 adj1 point)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR                  | OFF     | 2005/02/07 07:50 |
| S4       | 57    | (media) near4 (float\$3 adj1 point)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR                  | OFF     | 2005/02/07 07:50 |
| S5       | 245   | (712/222).CCLS.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR                  | OFF     | 2005/07/21 16:11 |
| S6       | 0     | (sum near4 absolute near4 differenc3\$1) near4 (intermediate\$2) near4 (saturat\$3)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR                  | OFF     | 2005/07/21 16:11 |
| S7       | 1     | ((sum near4 absolute near4 differenc3\$1) or SAD or SABD) near4 (intermediate\$2 or middl\$3 or temporar\$3) near4 (saturat\$3) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR                  | OFF     | 2005/07/21 16:12 |
| S8       | 1     | ((sum near4 absolute near4 differenc3\$1) or SAD or SABD) with (intermediate\$2 or middl\$3 or temporar\$3) with (saturat\$3)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR                  | OFF     | 2005/07/21 16:12 |
| S9       | 1     | ((sum near4 absolute near4 differenc3\$1) or SAD or SABD) same (intermediate\$2 or middl\$3 or temporar\$3) same (saturat\$3)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR                  | OFF     | 2005/07/21 16:13 |
| S10      | 1     | ((sum near4 differenc3\$1) or SAD or<br>SABD) same (intermediate\$2 or<br>middl\$3 or temporar\$3) same<br>(saturat\$3)         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR                  | OFF     | 2005/07/21 16:16 |
| S11      | 19574 | (intermediate\$2 or middl\$3 or temporar\$3) same (saturat\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR                  | OFF     | 2005/07/21 16:13 |

| S12 | 588 | (intermediate\$2 near4 (value\$1 or data or number\$1)) same (saturat\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:13 |
|-----|-----|--|---|----|-----|------------------|
| S13 | 125 | (intermediate\$2 near4 (value\$1 or data or number\$1)) near4 (saturat\$3)                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:15 |
| S14 | 0   | ((intermediate\$2 near4 (value\$1 or data or number\$1)) near4 (saturat\$3)) and ("712"/).ccls.                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:34 |
| S15 | 7   | ((sum near4 differenc3\$1) or SAD or SABD) and ((intermediate\$2 or middl\$3 or temporar\$3) near4 (saturat\$3)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:21 |
| S16 | 45  | ((sum near4 differenc3\$1) or SAD or SABD) and ((intermediate\$2 or middl\$3 or temporar\$3) with (saturat\$3))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:29 |
| S17 | 77  | ((sum near4 differenc3\$1) or SAD or SABD) and ((intermediate\$2 or middl\$3 or temporar\$3) same (saturat\$3))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:29 |
| S18 | 77  | ((sum near8 differenc3\$1) or SAD or SABD) and ((intermediate\$2 or middl\$3 or temporar\$3) same (saturat\$3))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:29 |
| S19 | 0   | (intermediate adj1 value\$1) near4<br>(saturation) near4 overflow  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:35 |
| S20 | 36  | (intermediate adj1 value\$1) near4 (saturation)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:39 |
| S21 | 13  | (diefendorff).in. and (motorola).as.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:47 |
| S22 | 0   | ("61344090").PN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:42 |
| S23 | 4   | (sooch).in. and (motorola).as.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2005/07/21 16:47 |

|     |     |  |   |    | ,   |                  |
|-----|-----|--|---|----|-----|------------------|
| S24 | 254 | (712/222).CCLS.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 09:20 |
| S25 | 737 | (absolute near4 difference\$1) near4 (select\$3)                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 09:20 |
| S26 | 224 | (absolute adj1 difference\$1) near4<br>(select\$3)                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 09:20 |
| S27 | 0   | (absolute adj1 difference\$1) near4<br>(selecting near4 positive near4<br>result\$1) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 09:21 |
| S28 | 0   | (absolute adj1 difference\$1) with (selecting near4 positive near4 result\$1)        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 09:21 |
| S29 | 0   | (absolute adj1 difference\$1) with (select\$3 near4 positive near4 result\$1)        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 09:21 |
| S30 | 1   | (absolute adj1 difference\$1) with (select\$3 with positive with result\$1)          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 09:22 |
| S31 | 6   | (absolute near4 difference\$1) same<br>(select\$3 near4 positive near4<br>result\$1) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 09:31 |
| S32 | 31  | (absolute near4 difference\$1) same<br>(select\$3 with positive with<br>result\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 09:32 |
| S33 | 36  | (Sun).as. and (watkins).in.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 12:36 |
| S34 | 0   | ((Sun).as. and (watkins).in.) and (visual adj1 instruction\$1)                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 12:37 |
| S35 | 0   | ((Sun).as. and (watkins).in.) and (visual near4 instruction\$1)                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/01/06 12:37 |

|     |     |   |   | ·<br> |     |                  |
|-----|-----|---|---|-------|-----|------------------|
| S36 | 3   | (Sun).as. and ((graphic\$1 adj1 process\$3) same integrate\$1) and (visual near4 instruction near4 set)               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/01/06 12:39 |
| S37 | 2   | (Sun).as. and (graphic\$1 same integrate\$1 same (memor\$3 adj1 control\$4)) and (visual near4 instruction near4 set) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/01/06 12:42 |
| S38 | 1   | ("5734874").PN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/01/06 12:43 |
| S39 | 1   | ("5996066").PN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/01/06 12:43 |
| S40 | 1   | ("6828556").PN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/01/09 08:53 |
| S41 | 1   | ("6282556").PN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/01/09 08:53 |
| S42 | 263 | (712/222).CCLS.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/07/20 14:24 |
| S43 | 26  | (vector\$1 near4 absolute near4 difference\$1) same register\$1   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/07/20 14:52 |
| S44 | 600 | (vector\$1 near4 absolute near4 difference\$1)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/07/20 14:52 |
| S45 | 62  | vector\$1 near4 absolute near4 difference\$1 near4 (select\$4 or portion\$3 or part\$3)                               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/07/20 14:54 |
| S46 | 57  | vector\$1 near4 absolute near4 difference\$1 near4 (select\$4 or portion\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/07/20 14:54 |
| S47 | 49  | vector\$1 near4 absolute near4 difference\$1 near4 (select\$4)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR    | OFF | 2006/07/20 14:54 |

| S48 | 0   | vector\$1 near4 absolute near4<br>difference\$1 near4 (select\$4) near4<br>instruction\$1    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/07/20 14:54 |
|-----|-----|--|---|----|-----|------------------|
| S49 | 0   | (vector\$1 near4 (select\$4)) with (absolute near4 difference\$1 near4 instruction\$1)       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/07/20 14:55 |
| S50 | 11  | (vector\$1 near4 (select\$4)) same<br>(absolute near4 difference\$1 near4<br>instruction\$1) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/07/20 14:55 |
| S51 | 76  | (vector\$1 near4 select\$4) with (absolute adj1 difference\$1)                               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/07/20 14:56 |
| S52 | 26  | (vector\$1 near4 select\$4) near4 (absolute adj1 difference\$1)                              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/07/21 11:59 |
| S53 | 5   | (vector\$1 near4 (portion\$1 or part\$1)) near4 (absolute adj1 difference\$1)                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/07/21 11:59 |
| S54 | 336 | (vector\$1) near4 (absolute adj1<br>difference\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/07/21 12:00 |
| S55 | 19  | (vector\$1) adj1 (absolute adj1<br>difference\$1)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>IBM_TDB | OR | OFF | 2006/07/21 12:00 |